

L Number	Hits	Search Text	DB	Time stamp
-	2	5828847.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 09:29
-	25	client\$1 near10 stor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:28
-	18401359	load\$1 near10 balanc\$4 near10 application\$1 near10 server\$1 @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:17
-	89	load\$1 near10 balanc\$4 near10 application\$1 near10 server\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:18
-	17	load\$1 near10 balanc\$4 near10 application\$1 near10 server\$1 near10 client\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:18
-	1	client\$1 near10 cach\$4 near10 availabil\$4 near10 server\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:27
-	3	client\$1 adj10 stor\$4 adj10 availabil\$4 adj10 server\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:28
-	135	load\$1 adj5 balanc\$5 adj10 server\$1 near10 client\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:29
-	6	load\$1 adj5 balanc\$5 adj10 server\$1 near10 client\$1 near10 availabilit\$4 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:36
-	0	load\$1 adj5 balanc\$5 adj10 active adj3 server\$1 near10 client\$1 near10 availabilit\$4 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:36
-	1	load\$1 adj5 balanc\$5 adj10 active adj3 server\$1 and @ad<19991101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:36
-	40	"5828847"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:37
-	29	"5828847" and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:42

-	11	client\$2 near10 request\$3 near10 subset\$3 near10 server\$2 and load near5 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:53
-	56	client\$2 near10 request\$3 near10 list\$4 near10 server\$2 and load near5 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:54
-	50	client\$2 near10 request\$3 near10 (list\$2 listing\$1) near10 server\$2 and load near5 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:54
-	37	client\$2 near10 request\$3 near10 (list\$1 listing\$1) near10 server\$2 and load near5 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 11:06
-	2	6711606.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 10:58
-	33	client\$1 near10 maintain\$4 near10 (list\$1 listing\$1) near10 server\$1 and distribut\$4 near10 load near5 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:10
-	0	cach\$4 near10 availabil\$5 near10 active near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:11
-	24	cach\$4 near10 availabil\$5 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:13
-	21	client\$1 near10 choos\$4 near10 server\$1 near10 availab\$6 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:19
-	90	application adj3 server\$1 near10 client\$2 near10 availab\$7 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:19
-	2013684	application adj3 server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and load\$1 near\$3 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:21
-	0	application adj3 server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and load\$1 near3 balanc\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:22
-	7	application adj3 server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:27
-	85	server\$1 near10 client\$2 near10 availab\$7 near10 cach\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:32

-	25	server\$1 adj5 availab\$7 near10 client\$2 near10 cach\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 12:32
-	6	availabil\$4 near10 server\$1 near10 cach\$4 near4 client\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:11
-	55	database\$1 near10 availabil\$4 near10 server\$1 near10 client\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:12
-	26	database\$1 near10 availabil\$4 near10 server\$1 near10 client\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:16
-	9	server adj3 availab\$6 near10 database\$1 near10 client\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:18
-	3	database\$1 near10 monitor\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:20
-	85	monitor\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:20
-	0	monitor\$4 near10 availabil\$6 near10 server\$1 same (cach\$4 near10 client\$1) and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:20
-	17	monitor\$4 near10 availabil\$6 near10 server\$1 same client\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:20
-	4	monitor\$4 near10 availabil\$6 near10 server\$1 same client\$1 same load\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:26
-	2	monitor\$4 near10 availabil\$6 near10 server\$1 and client\$1 near10 load\$1 and @ad<19991118 not (monitor\$4 near10 availabil\$6 near10 server\$1 same client\$1 same load\$1 and @ad<19991118)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:29
-	2	"20020163904"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:30
-	20	stor\$4 near10 availabil\$6 near10 server\$1 near10 client\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:37
-	2	client\$1 near3 stor\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:39

-	0	client\$1 near3 cach\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:39
-	24	cach\$4 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:46
-	1940	database\$1 near10 collect\$4 near10 server\$1 availabil\$4 and @ad<19991118 and 709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:50
-	0	database\$1 near10 collect\$4 near10 server\$1 near10 availabil\$4 and @ad<19991118 and 709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:51
-	0	database\$1 near10 collect\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118 and 709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:51
-	0	database\$1 near10 monitor4 near10 server\$1 near10 availabil\$6 and @ad<19991118 and 709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:51
-	0	database\$1 near10 monitor4 near10 server\$1 near10 availabil\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:51
-	0	database\$1 near10 monitor\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118 and 709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:52
-	3	database\$1 near10 monitor\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:53
-	70	monitor\$4 near10 server\$1 near10 availabil\$6 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:01
-	11	send\$4 near10 client near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:06
-	11	send\$4 near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:07
-	4	transmit\$6 near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:15
-	4	"5987502"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:20

-	3	database\$1 near10 monitor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:21
-	16	database\$1 near10 stor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:22
-	19	database\$1 near10 availabil\$4 near10 server\$1 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:26
-	13	database\$1 near10 availabil\$4 near10 server\$1 and subset\$1 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:29
-	54	database\$1 near10 availabil\$4 near10 server\$1 and subset\$1 and @ad<19991118 not (database\$1 near10 stor\$4 near10 availabil\$4 near10 server\$1 and @ad<19991118)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:29
-	27	cluster\$1 near10 database\$1 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:57
-	4	"9807683"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:32
-	0	GB2336449	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:37
-	12	"2336449"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:37
-	7	cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:07
-	135	database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:07
-	128	database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls. not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:07
-	36	database\$1 same availabil\$6 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:16
-	1	database\$1 near10 (send\$4 transmit\$5) near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 and 709/223-226.ccls. not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 11:22

-	1	database\$1 near10 (send\$4 transmit\$5) near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118 not (cluster\$1 near10 database\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 11:23
-	1	database\$1 near10 (send\$4 transmit\$5) near10 client\$1 near10 availabil\$6 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 11:23
-	369	server\$1 near10 availabil\$4 near10 database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 11:23
-	100	server\$1 near10 availabil\$4 near10 database\$1 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 11:23
-	54	server\$1 near10 availabil\$4 near10 database\$1 and send\$3 near10 client\$1 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 11:24
-	26	server\$1 near10 availabil\$4 near10 database\$1 and send\$3 near10 client\$1 and 709/\$.ccls. and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 11:24
-	2	6681251.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 12:07
-	78	workload adj1 balanc\$4 near10 server\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 12:53
-	27	workload adj1 balanc\$4 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 13:57
-	0	monitor\$4 near10 processor\$1 near10 server near10 \$2availabil\$6 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 14:19
-	0	monitor\$4 near10 processor\$1 near10 server\$1 near10 \$2availabil\$6 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 14:19
-	224	monitor\$4 near10 processor\$1 near10 server\$1 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 14:19
-	0	monitor\$4 near10 processor\$1 near10 server\$1 and @ad<19991118 and 709/223.226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 14:21
-	29	monitor\$4 near10 processor\$1 near10 server\$1 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 14:23

-	146	monitor\$4 near10 process\$4 near10 server\$1 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 14:24
-	9	monitor\$4 near10 process\$4 near10 server\$1 same availabil\$6 and @ad<19991118 and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 15:12
-	1	availabil\$6 near10 heterogeneous\$1 near10 network\$4 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 15:13
-	34	processing adj1 power\$1 near10 availabil\$6 and @ad<19991118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 15:14
-	6	processing adj1 power\$1 near10 availabil\$6 and @ad<19991118 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 15:14